




# Anti-Decubitus Mattress System

Creating  
comfort™  
Pressure Care Systems.

## TRI-FLEX – Prima style complete mattress



### Construction

- 3 section CMHR foam mattress
  - Layered top section
  - Profiled centre section
  - Supportive base section
- Stitched cover with zipped closure
- Screen print to top section only

**Weight guide\*** - 185kg / 29stone

### Product Specifics:

Length - 1930mm  
 Width - 900mm  
 Depth - 150mm  
 Weight - 13.5kilo

**Risk category\*** - High dependency


**Foam Specification** - C54/120 / C40/120 (top section)  
 F36/125 (centre section)  
 C40/170 (base section)

### Mattress Cover

#### Material

- PU coated fabric
- 2 way stretch
- Vapour permeable
- Waterproof
- Sewn seams
- Fire retardancy BS7177 : 2008 medium hazard; Fillings comply with: Furniture and Furnishings (Fire) (Safety) Regulations 1988

#### Cleaning




**Warranty period** - 4 years reducing

\*Indication of risk - not a prescriptive criteria

Creating Comfort reserve the right to alter without prior notice any details & specification in the interest of product development.

## TRI-FLEX – Optional memory foam top section



### Construction

- CMHR base
- Memory foam upper
- Screen print
- Stitched cover with zipped closure

**Weight guide\*** - 185kg / 29stone

### Product Specifics:

Length - 1930mm  
 Width - 900mm  
 Depth - 50mm  
 Weight - 5kilos

**Risk category\*** - High dependency


**Foam Specification** - V66090 / C40/120

### Mattress Cover

#### Material


- PU coated fabric
- 2 way stretch
- Vapour permeable
- Waterproof
- Sewn seams
- Fire retardancy BS7177 : 2008 medium hazard; Fillings comply with: Furniture and Furnishings (Fire) (Safety) Regulations 1988

#### Cleaning



**Warranty period** - 4 years reducing

## TRI-FLEX – Optional Small Wedge



**Construction**

- CME foam
- Stitched cover with zipped closure

**Weight guide\*** - N/A

**Product Specifics:**

Length - 277mm  
 Width - 635mm  
 Depth - 127/5mm  
 Weight - 0.5 kilo

**Risk category\*** - N/A


**Foam Specification** - CME30H

**Mattress Cover**

*Material*

- PU coated fabric
- 2 way stretch
- Vapour permeable
- Waterproof
- Sewn seams
- Fire retardancy BS7177 : 2008 medium hazard; Fillings comply with: Furniture and Furnishings (Fire) (Safety) Regulations 1988

*Cleaning*




**Warranty period** - 4 years reducing

\*Indication of risk - not a prescriptive criteria

Creating Comfort reserve the right to alter without prior notice any details & specification in the interest of product development.

## TRI-FLEX – Optional Large Wedge



**Construction**

- CME foam
- Stitched cover with zipped closure

**Weight guide\*** - N/A

**Product Specifics:**

Length - 508mm  
 Width - 635mm  
 Depth - 235/5mm  
 Weight - 1.5kilo

**Risk category\*** - N/A


**Foam Specification** - CME30H

**Mattress Cover**

*Material*

- PU coated fabric
- 2 way stretch
- Vapour permeable
- Waterproof
- Sewn seams
- Fire retardancy BS7177 : 2008 medium hazard; Fillings comply with: Furniture and Furnishings (Fire) (Safety) Regulations 1988

*Cleaning*




**Warranty period** - 4 years reducing

\*Indication of risk - not a prescriptive criteria

Creating Comfort reserve the right to alter without prior notice any details & specification in the interest of product development.

## TRI-FLEX – Optional Gel Cushion



### Construction

- Safeguard. CMHR foam with gel insert
- Stitched cover with zipped closure
- Screenprint

**Weight guide\*** - 121kg/19stone

### Product Specifics:

Length - 432mm  
Width - 432mm  
Depth - 76mm  
Weight - 3kilos

**Risk category\*** - High Risk


**Foam Specification** - C54/220 / C40/170

### Mattress Cover

#### Material

- PU coated fabric
- 2 way stretch
- Vapour permeable
- Waterproof
- Sewn seams
- Fire retardancy BS6807:2006 (top test only); Fillings comply with: Furniture and Furnishings (Fire) (Safety) Regulations 1988

### Cleaning



**Warranty period** - 12 Months